THE THREAD PRODUCT CATALOG

Rental Uniform Industry PREMIERE FULL-SERVICE DECORATOR



PENNEDGE® PENNSTITCH® EMBROIDERED COLORPRINT® APPLIQUÉ + MORE!

> Decoration for all uniform styles that endure in all work conditions!

A DO ON DROP

years of committed, family-owned and operated service



YOUR BRAND DECORATOR

PROUDLY FOR 77 YEARS.

WHO WE ARE

For 77 years, Penn Emblem has provided customers with high quality, cutting-edge products and innovative technology. Unlike many other companies, however, Penn Emblem has proudly served those customers through the common thread of family for four generations.

In 1947, company founder, Frank Blumenthal, began embroidering emblems out of his garage in Philadelphia, beginning with cotton, oval name tags and American flags for gas station uniforms. In the 1960's, he brought the first heat sealable emblems to the industry, completely revolutionizing the rental uniform business.

In 1970, Frank's oldest son, Robert, took the reins, adding new technologies such as screen-printing, to the embellishment industry. For years, Penn Emblem Company cultivated new business through innovative systems and designs, continuously remaining the market leader and industry trendsetter.

In 2010, Frank's granddaughter, Randi Blumenthal-Joseph, became the third generation of leadership to continue the legacy of quality, sustainability and innovation, while also shifting the company to become certified as a Woman's Business Enterprise, to better support clients focused on supply chain diversity, and to proudly represent female leadership.

Penn Emblem continues to serve customers worldwide with an ever growing array of image and identification solutions. Today, under Randi's leadership and through the fibers of Penn Emblem's rich history, the next generation is modeling company core values and preparing to navigate Penn Emblem to new heights in years to come.


WHAT WE DO

As the largest provider of image and identification products, service and solutions, Penn Emblem's domestic and international manufacturing capabilities proudly deliver cost-effective solutions such as:

- Custom Embroidered
- Woven
- Silkscreen
- Sublimation
- Screen-printed
- Appliqués
- Heat Transfers
- Thermal Barcode Systems
- Mending Materials
- Flame Resistant
- High Visibility decoration solutions that meet regulatory guidelines for uniforms in high risk industries.

Penn Emblem Company helps brands come to life through innovative embellishment solutions, serving markets such as uniform services, athletic organizations, promotional products, safety and service, military, hospitality, collegiate, PPAI and more.





CORE VALUES

These core values have been passed down for generations, originating with our founder Frank Blumenthal. We have a passion for what we do, in how we treat our employees, and in how we serve our customers. Partnering with a supplier like Penn Emblem that does things right the first time makes you look good in front of your customers **every time**.

DIVERSITY & INCLUSION

National Women's Business Enterprise Certification

Penn Emblem was first certified in 2010 and has achieved certification as a Women's Business enterprise by the WBENC for 2023-2024. WBENC's national standard of certification is an extensive process that includes an in-depth review of the business and site inspection. The certification process is designed to confirm that the business is **at least 51% owned, operated and controlled by a woman or women**, ensuring supplier diversity for our partners.

The WBENC is the nation's largest third party certifier of businesses owned and operated by women, and is a resource for the more than 700 US companies and government agencies that rely on this certification as an integral part of their supplier diversity programs.

WMEN® OWNED

"This certification raises our profile among the many companies looking to do business with diverse companies and provides access for business opportunities with other WBENC members, which include many of the Fortune 500 companies as well as government agencies that have active supplier diversity programs."

- Randi Blumenthal-Joseph, President

LOCATIONS



TREVOSE, PA

Corporate Office 2577 Interplex Drive Suite A Trevose, PA 19053 **Phone:** 800-793-7366 **Fax:** 215-632-6166



SANTA ANA, MX

Manufacturing Facility

Carretera Internacional Km. 168 Parque Industrial Santa Ana, Sonora, Mexico CP 84600



MIRA LOMA, CA

Manufacturing Facility 11199 Inland Avenue Mira Loma, CA 91752 Phone: 800-775-7366 Fax: 800-845-8028



AGUA PRIETA, MX

Manufacturing Facility

Calle 13, entre Avenida 6 & 8 Numero 650 Colonia Sector Industrial CP 84210



DECORATION SERVICES



SUBLIMATION

- Easy & Cost Effective
- Primarily used on 100% Polyester
- · Best on white or grey goods
- Ideal for foam trucker hats,
- bandannas, masks, mugs etc.No minimums
- Print on demand




HEAT SEAL

- Products can be heat applied to any item such as garment bags, scrubs, hats and more.
- Low-Melt Backing heat seals at low temperatures without doing damage to the garment.
- PennBond® Industrial Backing is specifically designed to be able to withstand the Industrial Laundry process while also being suitable for home laundry.



EMBROIDERY

- Economical & Efficient
- Often found on thicker apparel as well as chest and bicep locations
- 100% Polyester Threads are durable and vibrant
- Wide variety of color choices
- Full Package Available (Bagging, Boxing, Tagging)
- PSST Sanmar Supplier



SILK SCREEN PRINT

- Cost Effective for simple graphics
- · Many brands of ink available
- Ideal for promotional products such as t-shirts, hoodie and bags
- Efficient and versatile and can be done virtually on any surface
- Ideal for Cotton polyblend designs with 8-10 color capacity and large bulk orders or printing on an unconventional surface



EMBELLISHMENTS

- Choose from a variety of emblem styles such as:
 - PennFlex[™]
 - Embroidered
 - Woven
 - Sublimated
 - Etched
 - PennDome®
 - Appliqué
 - Flame Resistant
 - High Visibility
 - Chenille
 - Tackle Twill
 - PennEtch®
 - Bling
 - PennFlock 3D®
 - PennTwill 3D®
 - **PVC**
 - Silicone
 - Leather
 - Heat Transfer
 - Flags
 - MORE!



- 1 Flags
- 2 Blanks
- 3 ColorPrint® Dye Sublimation
- 4 Combination
- 5 Custom Embroidered
- 6 Direct Embroidery
- 7 Flame Resistant
- 8 High Visibility
- 9 Name/Lettering Only
- 10 PennBroidery® Applique
- 11 PennEdge®
- 12 PennStitch®
- 13 PennText® Screen Print
- 14 PennTrans® Heat Transfers
- 15 PennWeave®
- 16 Reflective
- 17 Woven Labels

- 18 PennBloc®
- 20 PennPly®
- 22 ExpressPrint T7 Thermal Labels
- 23 Flag Emblems
- 25 ColorPrint® Sublimation Color Chart
- 26 FR Fabric and Thread Color Chart
- 27 PennEdge® Fabric Color Chart
- 29 Polyester Fabric Color Chart
- 30 Polyester Thread Color Chart
- 31 ScreenPrint Color Chart
- 32 Common Emblem Sizes

COUNTRY & STATE FLAGS

IDEAL DEPICTION OF PATIROTISM AND PRIDE



AIRBORN



All Backing Options Available

U.S. ARM



100% Polyester Twill Fabric and Thread



Completely customizable

STATE & COUNTRY FLAGS AVAILABLE





BLANK EMBLEMS

STAND OUT WHILE SEAMLESSLY BLENDING IN



Use in your own design work



100% Polyester Thread and Fabric Quick Turnaround Time



Write on them with Penn Emblem Laundry Pens

SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Custom to Design

<image>



COLORPRINT®

PHOTO FINISH IMAGE RECREATION





All Backing Options Available



PennBrite® technology creates HD designs



16 million vibrant color options available


SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 8.0" x 10.5" (20.3cm x 26.6cm)

The text within a design should not be less than 2mm in height (9pt font size).





PENN COMBO

MULTIPLE TECHNIQUES, ENDLESS OPTIONS



Various border options available



Customized with unique threads, fabrics & techniques



Backing dependent on emblem type



Create high definition depth with varying designs

OPTIONS

Glitter & Embroidery, Woven & Embroidery, Woven & Glitter, Leather & Etched, High Visibility & Reflective, and more!





CUSTOM EMBROIDERED

A TIMELESS DESIGN FIT FOR ANY STYLE





All Backing Options Available



100% Polyester Twill Fabric and Thread



Completely customizable



SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Minimum Text Size: 3/16"



DIRECT EMBROIDERY

ECONOMICAL, TRADITIONAL, AND FAST



Most ideal on thick garments or chest/ shoulder placement



100% Polyester Threads in a variety of bold colors



Metallic, FR and High Visibility threads available



Garment Sourcing Provided (PSST Sanmar Supplier)

SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Minimum text size is 3/16"





FLAME RESISTANT

EVERY SECOND COUNTS WHEN PROTECTING WORKERS



Durable for all environments



Bounce light back to source to enhance visibility



100% FR Polyester Twill Fabric & Thread



All Backing Options Available



SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Minimum Text Size: 3/16"



HIGH VISIBILITY

STAND OUT AND STAY SAFE IN ALL CONDITIONS



Durable for all environments



All Backing Options Available



100% Polyester Twill Fabric and Thread



Completely customizable

SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Minimum Text Size: 3/16"



NAME/LETTERING ONLY

IDEAL FOR CUSTOMERS WITH NO LOGO



Embroidered, silkscreen printed or sublimated



ecule C

	-	0-
2	3 3	

Ideal for Name Tags

_	

Up to 3 lines of text depending on the size of the emblem



SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Minimum Text Size: 3/16th



PENNBROIDERY® APPLIQUÉ

ALSO KNOWN AS EMBROIDERED HANDCUT



Ability to have cut outs within the emblem



100% Polyester Twill Fabric and Thread



All Backing Options Available



Simulates Direct Embroidery, but more cost effective

SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Minimum Text Size: 0.16"





STAND OUT WHILE SEAMLESSLY BLENDING IN



Thin border that blends in with the shirt fabric



100% Polyester Thread



Custom

Garment Fabric



Simulates Direct Embroidery, but more cost effective



SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Minimum Text Size: 3/16th



PENNSTITCH®

COMPLIMENTS BUSINESS CASUAL UNIFORMS

Illusion of a fully embroidered emblem



100% Polyester Thread/Floss for Embroidery



and feel of a

polo shirt



Economical alternative to direct embroidery

Hailo

SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Minimum Text Size: 3/16th



PENNTEXT® SCREENPRINTED

CRISP & VIBRANT WITH QUICK TURNAROUND TIMES





100% Polyester Twill Fabric



Withstands harsh working conditions



Millions of vibrant CMYK color options



SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 8.0" x 10.5" (20.3cm x 26.6cm)

Can be hand-cut to any shape and customized with different combination options.



PENNTRANS™ HEAT TRANSFER

LIGHTWEIGHT, VIBRANT IMAGE RECREATION



OEKO-TEX 100 Environmental requirements met



Excellent stretch and elasticity with no cracking



Unlimited, vivid PMS colors available



Fast turnaround times and no set up costs

SIZING

Minimum: 0.79" x 0.79"

Maximum: 26" x 19"

* Variety of adhesives dependent on garment.*





PENNWEAVE[®]

PRECISION STITCHING FOR INTRICATE DETAILS





All Backing Options Available



Can be hand cut for effects of Direct Embroidery



Lightweight with a smooth, flat surface

SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Minimum Text Size: 1/16"

Derrick



15



REFLECTIVE

ENHANCED VISIBILITY TO KEEP WORKER SAFE







3M Silver Reflective Fabric



SIZING

Minimum: 1.0" x 1.75" (2.5cm x 4.4cm)

Maximum: 13.0" x 17.5" (33.0cm x 44.5cm)

Minimum Text Size: 3/16"



WOVEN LABELS

DETAILED, VIBRANT LABELS FOR ALL GARMENTS



Durable for all conditions



Capture fine details of intricate logos or artwork



LIEUTENANT JOE KENDA

02019 DCL

EF

Satin, Demask or Taffeta woven threads



Completely customizable



SIZING

12mm
20mm
35mm
62mm
195mm

PENNBLOC®

Used to block or reduce the dye migration and image show through from a previous emblem when re-using a white garment or white emblems.



CHOOSE/ORDER

Determine your desired emblem or image size and order your PennBloc®.

PLACE PENNBLOC®

Take emblem and single layer of PennBloc®. Align them together, film side down towards or against garment.



WHITE BLOCKING LAYER



PENNBOND® ADHESIVE BACKING



RAPID LEAD TIMES




INDUSTRIAL LAUNDERABLE








QUANTITY: 1 BAG = 100 PIECES



ATTACH EMBLEM

Place emblem with PennBloc® backing on desired apparel location.





HEAT SEAL


Heat Seal according to emblem specifications (see reverse).

APPLICATION METHODS: SEW-ON, HEAT SEAL, OR PRESSURE SENSITIVE (STICK-ON)

The manner in which emblems can be attached to garments or other textile products relates directly to the *TYPE OF BACKING* used in the manufacturing process, the *EMBLEM SIZE*, and the *TYPE OF MATERIALS* that the emblems will be attached to. Almost all emblems can be sewn on, and when it comes to heat seal application, smaller emblems are easier to work with. The chart below outlines the application options relative to backing types.

BACKING TYPE	SEW-ON	HAND APPLY	HAND IRON	HEAT SEAL
OL VELCRO®	yes	yes	no	loop side only
STICK ON	possible	yes	no	no
	yes	no	no	yes
LOW-MELT	yes	no	no	yes

* for PennPly® and PennBloc® – Industrial Backing only and must use Industrial Heat Seal Settings as per below*



PRESSURE SETTINGS (BA	ASED ON PLATEN SIZE)
TEXAS AUTOMATION HEAT SEAL MACHINE 3" CYLINDER	NATMAR HEAT SEAL MACHINE 4" CYLINDER
2" x 4" 40-60 PSI on gauge	2" x 4" 40-60 PSI on gauge
3" x 5" 55-60 PSI on gauge	3" x 5" 55-60 PSI on gauge
4" x 6" 60-80 PSI on gauge	4" x 6" 60-80 PSI on gauge
3.5" x 5" 60-80 PSI on gauge	6" x 8" 75-95 PSI on gauge

HEAT SEAL TIPS:


THICKER FABRICS: May require longer cycle times beyond the ranges.

TREATED FABRICS:

If finished with coatings, sizing, or repellants, may not allow for proper heat seal bonding.

SPECIAL FABRICS:

Leather, Suede, Nylon, Synthetics, Nylon-Shell, Interlinings, Rubberized Coatings, or Reflective Fabrics may react poorly to heat seal temperatures depending on thickness, weave, texture, and weight. It is recommended that these fabrics be tested first, with possible heat seal time and temperature adjustments. In many cases, it may be better to have emblems sewn on to these types of materials.





PENNPLY[®]

A single layer of PennPly® adhesive to re-apply or re-use an emblem on a new shirt.



CLEAR/NATURAL



PENNBOND® ADHESIVE BACKING



RAPID LEAD TIMES



INDUSTRIAL LAUNDERABLE




Bottom Heat (EMBROIDERED) Top Heat (PRINTED/INKJET) Industrial Settings (RUI)



QUANTITY: 1 BAG = 100 PIECES

ITEM	DE	SCRIPTION	PRICE
MTPLY-2909	BN	PENNPLY LAMINATE URETHANE 1.125x3	\$3.50/bag
MTPLY-6383	BA	PENNPLY LAMINATE URETHANE 1.875x3.25	\$3.50/bag
MTPLY-645	BD	PENNPLY LAMINATE URETHANE 2.5x4.5	\$4.50/bag
MTPLY-672	BR	PENNPLY LAMINATE URETHANE 2x4	\$4.50/bag
MTPLY-748	BB	PENNPLY LAMINATE URETHANE 1.125x3	\$3.50/bag
MTPLY-751	ВК	PENNPLY LAMINATE URETHANE 1.375x3.75	\$3.50/bag





Determine your desired PennPly® Backing based on emblem size.



PLACE PENNPLY®

Take emblem and single layer of PennPly® film; Align them together.



ATTACH EMBLEM

Place emblem with PennPly® backing on desired apparel location.





HEAT SEAL

Heat Seal according to emblem specifications (see reverse).

PENNPLY® HEAT SEAL MACHINE APPLICATION

APPLICATION METHODS: SEW-ON, HEAT SEAL, OR PRESSURE SENSITIVE (STICK-ON)

The manner in which emblems can be attached to garments or other textile products relates directly to the *TYPE OF BACKING* used in the manufacturing process, the *EMBLEM SIZE*, and the *TYPE OF MATERIALS* that the emblems will be attached to. Almost all emblems can be sewn on, and when it comes to heat seal application, smaller emblems are easier to work with. The chart below outlines the application options relative to backing types.

BACKING TYPE	SEW-ON	HAND APPLY	HAND IRON	HEAT SEAL
	yes	yes	no	loop side only
STICK ON	possible	yes	no	no
	yes	no	no	yes
LOW-MELT	yes	no	no	yes

* for PennPly® and PennBloc® – Industrial Backing only and must use Industrial Heat Seal Settings as per below*



PRESSURE SETTINGS (BA	ASED ON PLATEN SIZE)
TEXAS AUTOMATION HEAT SEAL MACHINE 3" CYLINDER	HEAT SEAL MACHINE 4" CYLINDER
2" x 4" 40-60 PSI on gauge	2" x 4" 40-60 PSI on gauge
3" x 5" 55-60 PSI on gauge	3" x 5" 55-60 PSI on gauge
4" x 6" 60-80 PSI on gauge	4" x 6" 60-80 PSI on gauge
3.5" x 5" 60-80 PSI on gauge	6" x 8" 75-95 PSI on gauge

HEAT SEAL TIPS:


THICKER FABRICS: May require longer cycle times beyond the ranges.

TREATED FABRICS:

If finished with coatings, sizing, or repellants, may not allow for proper heat seal bonding.

SPECIAL FABRICS:

Leather, Suede, Nylon, Synthetics, Nylon-Shell, Interlinings, Rubberized Coatings, or Reflective Fabrics may react poorly to heat seal temperatures depending on thickness, weave, texture, and weight. It is recommended that these fabrics be tested first, with possible heat seal time and temperature adjustments. In many cases, it may be better to have emblems sewn on to these types of materials.







EXPRESSPRINT T7 THERMAL LABEL TAPE



Extended durability and color retention for improved scan rates, budget and inventory control, and efficient labor hours.





PENN ENBLEM COMPANY

D-17-20 19E0915

EMBLEM COMPANY

041222

D-17-20 19E0915

17:20 195

EMBLEMCON



FLAG PATCHES





AMERICAN FLAGS

- Size of Flags 2" x 3.5"
- Can be sew-on or heat-sealed
- Rayon Thread





Item Description	Item Number
Yellow Merrow Border	500-982
Yellow Merrow Border Reversed	500-983
White Merrow Border	500-984
White Merrow Border Reversed	500-985

STATE & COUNTRY FLAGS





NO MINIMUMS SAME DAY SHIPPING

altons on brond

pennemblem.com

US STATE FLAGS



COUNTRY FLAGS



COLOR CHART

PMS colors are a relative approximation. Please confirm with Customer Service for the most accurate color code.


THR	EAD								
PINK #30 RGB: 255 204 204 PMS: 190c	GS ROSE #31 <i>RGB: 213 114 131</i>	TOBOGGAN #38 RGB: 220 90 30 PMS: Bright Red C	FS RED #82 RGB: 255 70 0 PMS: Bright Red C	SPANISH RED #53 RGB: 255 50 0 PMS: Bright Red C	FOXY RED #201 RGB: 180 10 40 PMS: 185c	RED #32 RGB: 204 41 51 PMS: 7623c	RUST #62 RGB: 153 54 40 PMS: 7626c	YELLOW #74 RGB: 216 211 16 PMS: 394c	LIGHT GOLD #40 RGB: 224 194 24 PMS: 395c
PMS: 190c	PMS: Rhodamine Red C	PMS: Bright Red C	PMS: Bright Red C	PMS: Bright Red C	PMS: 185c	PMS: 7623c	PMS: 7626c	PMS: 394c	PMS: 395c
GS GOLD	SP DK GOLD	DARK GOLD	MARINE GOLD	OLD GOLD	CHARTREUSE	M-GREEN	PASTORAL	KELLY GREEN	SP. KELLY
#41	#05	#42	#39	#96	#43	#213	#90	#46	#47
<i>RGB: 221182 4</i>	RGB: 219 173 0	RGB: 227 155 59	RGB: 188 163 56	RGB: 165 145 90	RGB: 148 159 18	RGB: 110 166 152	RGB: 68 190 85	RGB: 76 146 79	RGB: 26 125 72
<i>PMS: 396c</i>	PMS: 1235c	PMS: 144c	PMS: 388c	PMS: 7555c	PMS: 802c	PMS: 3385c	PMS: 802c	PMS: 802c	PMS: 802c
JADE	TEAL	DARK GREEN	VFW OLIVE DRAB	GS AQUA	NEW LT. BLUE	M-MED BLUE	M-BLUE	BPE LT. BLUE	GOBEL BLUE
#205	#91	#52	#11	#117	#58	#215	#216	#59	#20
RGB: 46 113 95	RGB: 20 126 102	RGB: 29 78 55	RGB: 0 30 0	RGB: 150 182 204	RGB: 95 157 194	RGB: 115 140 191	RGB: 118 120 188	RGB: 118 135 179	RGB: 70 106 160
PMS: 396c	PMS: 7479c	PMS: 3435c	PMS: 5535c	PMS: 3242c	PMS: 305c	PMS: 284c	PMS: 284c	PMS: 279c	PMS: 2728c
ACME BLUE	JUNIPER	CHEVRON BLUE	PEACOCK	AO BLUE	AQUA	NEW TEAL	NEW PEACOCK	IMPREIAL BLUE	LT. NAVY
#22	#36	#33	#77	#92	#57	#204	#202	#70	#24
ROB: 65 78 165	RGB: 65 124 179	RGB: 36 111 160	RGB: 35 126 154	RGB: 35 124 161	RGB: 56 155 158	RGB: 81 122 139	ROB: 65 100 120	RGB: 29 55 99	RGB: 0 25 76
PMS: 2727c	PMS: 279c	PMS: 2925c	PMS: 7703c	PMS: 298c	PMS: 7479c	PMS: 74736	PMS: 7702c	PMS: 2756c	PMS: 296c
DK. NAVY	LAVENDER	LAVENDER RED	M-PURPLE	PURPLE	WINE	M-MAROON	RUSSET	MAROON	GRILLED ORANGE
#25	#26	#01	#219	#27	#3.4	#217	#206	#35	#252
RGB: 0 0 25	RGB: 167 110 159	RGB: 192 48 114	RGB: 82 51 113	RGB: 65 43 104	RGB: 113 58 78	RGB:115 59 64	RGB: 95 18 52	RGB: 85 36 53	RGB: 245 77 0
PMS: 296c	PMS: 266c	PMS: Rubine RedC	PMS: 2783c	PMS: Blue072c	PMS: 7421c	PMS: 7621c	PMS: 7421c	PMS: 7421c	PMS: BrightRedC
WHITE #28 RGB: 255 255 255	EAGLE GREY #18 RGB: 161 164 163 PMS: 559c	M-GREY #218 RGB: 178 178 178 PMS: 7499c	PEARL GREY #13 RGB: 165 151 160 PMS: 5523c	CINDER #97 RGB: 155 140 160 PMS: 5527c	DK. GREY #15 RGB: 91 88 86 PMS: 443c	BLACK #16 RGB: 0 0 0 PMS: Black 6c	NEW GS TAN #4 RGB: 217 213 162 PMS: 602c	SAND #3 RGB: 158 147 105 PMS: 459c	AMBERLITE #73 RGB: 180 166 110 PMS: 112e
BPE TAN	M-TAN	RR TAN	COPPER	BR BROWN	DK. BROWN	CINSPRUCE	CINBROWN	CINRED	CINBURGUNDY
#02	#212	#9	#10	#95	#12	#231	#233	#235	#236
RGB: 162 157 140	RGB: 190 188 150	RGB: 132 106 57	RGB: 140 91 30	RGB: 77 60 57	RGB: 70 59 60	RGB:0 30 0	RGB: 70 59 60	RGB: 115 59 64	RGB: 180 166 110
PMS: 453c	PMS: 74996	PMS: 1535c	PMS: 4975c	PMS: Neutral Black C	PMS: Neutral Black C	PMS: Black 3c	PMS: Neutral Black C	PMS: 7621c	PMS: 7449c
CINCHARCOAL	CINBLACK	CINNAVY	CINBLUESLATE	CINPINEGR	CINDKTAN	CINHUNTERGR	CINLTBROWN	ROYAL BLUE	
#237	#238	#248	#251	#256	#257	#400	#318	#23	
RGB: 40 25 40	RGB: 0 0 0	RGB: 2 5 25	RGB: 67 78 90	RGB: 0 19 0	RGB: 135 135 122	RGB: 155 140 160	RGB: 155 140 160	RGB: 0 20 155	
PMS: Black 6c	PMS: Neutral Black C	PMS: 296c	PMS: 533c	PMS: 5535c	PMS: 416c	PMS: 5535c	PMS: 5523c	PMS: Blue 072c	
FAB	RIC								
C RED	C SPRUCE	C BROWN	C BURGUNDY	C BLUESLATE	C PINE	DK TAN	CIN HUNTER	CIN LT. GREY	DK. BROWN
#133	#134	#138	#147	#189	#193	#194.	#400	#202	#103
RGB: 115 59 64	ROB: 0 30 0	RGB: 70 59 60	RGB: 71 23 41	RGB: 67 78 90	RGB: 019 0	RGB: 135 135 122	RGB: 15 66 43	ROB: 155 140 160	RGB: 31 20 23
PMS: 7621c	PMS: 5535c	PMS: Neutral Black C	PMS: 7449c	PMS: 533c	PMS: 5535c	PMS: 416c	PMS: 5535c	PMS: 5523c	PMS: Neutral Black C
SPRUCE GREEN #107 RGB: 26 100 72 PMS: Black 3c	CHARCOAL #112 RGB: 40 25 40 PMS: Neutral Black C	GRAPHITE #114 RGB: 162 164 163 PMS: Cool Gray 11c	PEBBLE TAN #145 RGB: 136 135 122 PMS: 466c	LT. BLUE #139 RGB: 132 147 187 PMS: 542c					25

FR FABRIC AND THREAD

COLOR CHART

NX WHITE #61 NX BLACK		ROYAL #905 PMS# 294		
#64 PMS# BLACK				
NX DK NAVY #29 PMS# 296		BLACK		
NX PETROL BLUE #56 PMS# 292		#906 PMS# BLACK 6		
NX MED BLUE #207 <i>PMS</i> # <i>2995</i>				
NX ROYAL BLUE #50 PMS# 2935		NAVY #901 <i>PMS</i> # 296		
NX IMPERIAL RED #87 PMS# 206				
NX STEEL GREY #2708 PMS# WARM GREY 8		NATURAL #900 <i>PMS</i> # 7527		
NX DK. GOLD #68 PMS# 116				
NX FIRE YELLOW #63 PMS# 7404		ORANGE #903 <i>PMS</i> # 172		
NX RESCUE ORANGE #65 PMS# 021				
NX FIRE RED #14 PMS# 199		TAN #904 PMS# 465		
NX COPPER #27308 PMS# 470				
NX KELLY GREEN #309 PMS# 355		SPRUCE #902 PMS# 627	UCE	
NX OLIVE GREEN #49 PMS# 448				


PENNEDGE® FABRIC COLOR CHART



PENNEDGE® FABRIC COLOR CHART



POLYESTER FABRIC COLOR CHART



POLYESTER THREAD

	M-Tan	LT. NAVY	GS GOLD
	#212	#24	#41
	PMS# 454	PMS# 295	PMS# 109
#73	AMBERLITE	DK. NAVY	SP DK GOLD
	#73	#25	#05
	PMS# 465	PMS# 296	PMS# 116
#3	SAND	LAVENDER	DARK GOLD
	#3	#26	#42
	PMS# 467	PMS# 514	PMS# 130
	BE TAN	M-PURPLE	MARINE GOLD
#02	#02	#219	#39
# 7504	PMS# 7504	PMS# 2603	PMS# 108
#9	RR TAN	PURPLE	OLD GOLD
	#9	#27	#96
	<i>PMS</i> # 146	PMS# 2685	PMS# 117
#10	COPPER	AQUA	GS AQUA
	#10	#57	#17
	PMS# 1605	<i>PMS# 31</i> 9	PMS# 291
WN #95	BR BROWN	NEW TEAL #204 PMS# 320	NEW LT. BLUE #58 <i>PMS</i> # 292
#12	DK. BROWN	NEW PEACOCK	M-MED BLUE
	#12	#202	#215
	PMS# 448	PMS# 314	PMS# 278
#218	M-GREY	CHARTREUSE	BPE LT. BLUE
	#218	#43	#59
	PMS# WARM GREY 3	PMS# 397	PMS# 2848
#97	CINDER	M-GREEN	M-BLUE
	#97	#213	#216
	PMS# C GREY 7	<i>PMS</i> # 623	PMS# 2726
#18	EAGLE GREY	PASTORAL	JUNIPER
	#18	#90	#36
	PMS# C GREY 6	PMS# 368	PMS# 2995
#13	PEARL GREY	KELLY GREEN	CHEVRON BLUE
	#13	#46	#33
	PMS# C GREY 5	PMS# 611	PMS# PROCESS BLUE
#15	DK. GREY	SP. KELLY	ACME BLUE
	#15	#47	#22
	PMS# 433	PMS# 355	PMS# 2935
#16	BLACK	JADE	GOBEL BLUE
	#16	#205	#20
	<i>PMS# BLACK</i>	PMS# 3295	PMS# 285
#54	SILVER MYLAR	TEAL	PEACOCK
	#54	#91	#77
	PMS# 7534	PMS# 3282	PMS# 313
#55	GOLD MYLAR	DARK GREEN	AO BLUE
	#55	#52	#92
	PMS# 110	PMS# 336	PMS# 312
‡1935	HI-VIS YELLOW	VFW OLIVE DRAB	ROYAL BLUE
	#1935	#11	#23
	PMS# 388	PMS# 350	PMS# 286
	HI-VIS ORANGE	NEW GS TAN	IMPERIAL BLUE
	#5710	#4	#70



SCREENPRINT COLOR CHART



PENNEMBLEM 17 DK GRAY PMS 425 c
PENNEMBLEM 12 WHITE PMS White
PENNEMBLEM 13 BLACK PMS Black & c
PENNEMBLEM 67 SIENNA BROWN PMS411c
PENNEMBLEM 61 M- LT. GREEN PMS 7739 c
PENNEMBLEM 07 KELLY PM5349<
PENNEMBLEM OB DK GREEN PMS 357 c
PENNEMBLEM 10 LT BLUE PMS 636c
PENNEMBLEM 63 M- LT BLUE PMS 7702 c
PENNEMBLEM 11 MED BLUE PMS 7683 c
PENNEMBLEM PMS2757 c
PENNEMBLEM 62 M-CHEVRON BLUE PMS 287 c
PENNEMBLEM
PENNEMBLEM 74 ULTRA MARINE PM5269c

PMS colors are a relative approximation. Please confirm with Customer Service for the most accurate color code.

Can be printed in flourescent colors at customer's request.


Colors may vary after screenprinted.

Available to be hand cut in any shape.

Can withstand harsh working conditions.

Can be customized with different combination options.

COMMON EMBLEM SHAPES & SIZES







ssales@pennemblem.com



www.pennemblem.com



800-793-7366



800-775-7366